

FIRMWARE UPDATE INSTRUCTIONS IN 10889 Fitness Wristband inSPORTline Ego



1. Wristband entering DFU mode: Press the button on the wrist band for 3 seconds, meanwhile press the top two charge points on the back with the tips of a tweezer. Then the wrist band shall be shut down and entering DFU mode.



- 2. Turn the Bluetooth on and enter the Smart-iMovement app.
- 3. Find the MENU page and click upgrade.



4. Click Manual Upgrade.



5. Click Select File.

No Ser	vice 🗢	17:17	* 97% 📂
Ξ		Upgrade	
		Firmware	
	Name	:	
	Size:	Select File	
1	De	vice Firmware Up	odate
		Upload	
	DEVICE	MUST IN DEU MO	DDE

6. Select the file default-pd199n-ap-2.4.08.hex



- 7. Click on the ">" button.
- 8. Click Upload.

∃ Upgrade	
Firmware	
Name: default-pd199n-ap-2.4.08	8.he
Size: 178890 bytes	
Select File	
Device Firmware Update	
Upload	
DEVICE MUST IN DEU MODE	
DEVICE MUST IN DFU MODE	

9. Following message shall pop up once the upgrade is accomplished.



10. If any exception such as dead phone or repeatingly rebooting occurs, please repeat the steps above.